

Notice of Allowability

Application No.

10/790,737

Examiner

Alicia M Harrington

Applicant(s)

TAKEUCHI, SHUICHI

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to application filed on 3/3/04 and IDS filed on 6/17/04.
2. ☒ The allowed claim(s) is/are 1-12.
3. ☒ The drawings filed on 03 March 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date 0604
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

Georgia Epps
Supervisory Patent Examiner
Technology Center/2800

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-12 is allowed.
2. The following is an examiner's statement of reasons for allowance: Regarding claim 1, prior art taken either singularly or in combination fails to anticipate or fairly suggest the limitations of the dependent claims, in such manner that a rejection under 35 U.S.C 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims, which include wherein a convergence angle θ (deg) of part of the first beam incident on the outermost part of the inner area measured after emerging from the objective lens and a design numerical aperture NA_{ref} as an NA (Numerical Aperture) necessary for the information recording/readout of the first optical disc satisfy:

$$1.0 < \sin \theta / NA_{ref} < 1.1 \text{ as claimed.}$$

Regarding claim 7, prior art taken either singularly or in combination fails to anticipate or fairly suggest the limitations of the dependent claims, in such manner that a rejection under 35 U.S.C 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims, which include from the optical axis of the objective lens and a design numerical aperture NA_{ref} as an NA (Numerical Aperture) necessary for the information recording/readout of the first optical disc satisfy:

$$1.0 < H / (f1 \cdot NA_{ref}) < 1.1 \text{ as claimed.}$$

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 2873

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alicia M Harrington whose telephone number is 571 272 2330. The examiner can normally be reached on Monday - Thursday 9:30-6:00.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on 571 272 2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



AMH

Alicia M Harrington
Examiner
Art Unit 2873



Georgia Epps
Supervisory Patent Examiner
Technology Center 2800